JOB NO. 4349 IVORY PRODUCTION IOAD/UNIOAD 9/94

	HERCULES	2		DES	CRIPTIC	H OF W	ORK PE	RFORME	D (91 F	OREMAN)			
	MARINE SERVICE CORP. FREEPORT, TEXAS	61			}								
FO	REMAN'S DAILY TIME REPORT	June 1	Sul		2.0	2.3							O T A
JOB HO	4349	-1	<b>1</b> 2										
DATE	9-26-54	18:											U
	CALV. 256 B .	14.7	3										:
CLASS I	•	-120	14			1							ŀ
	IU0 44 P400	<del></del>	<u>,                                    </u>		<u> </u>	<u>                                     </u>	<u>. i</u>		; 		; 	1	
NO.	NAUE				 								
31	J. F. GONZALEZ	//_											1/2_
17'	E DOURTE	1/4											1/2
2°7°3	/i: siv€s≠ ¥ H	<u> </u>											_
4:	হ পদ সহীত্যাত —	_	ļ			<u> </u>							
73	8 DV 64 F75/	<u> </u>		ļ	<u> </u>								
	005 001 APET	1/2				ļ	<u> </u>			_		ļ <u>.</u>	1/2
_:-	್ಕಾರುಕ್ ೧೯೮೩ - —									 		ļ	
			_			<u> </u>							
						1	 	   		   		 	
	CHERRY PHYSE /21	!.		-									
								<u> </u>		<u> </u>			-
			<u> </u> 	ļ <u>.</u>		<u> </u>			<u> </u> 				_
	TOTAL HOURS						ļ  -			<u>.                                    </u>			1/2
	<u> </u>	ODEC	<u> </u>	<u> </u>	<u> </u>		<u> </u>	PPROVE	<u> </u>	<u> </u>	<u> </u>	<u> </u>	. 6.

HEF	RCULES		Des	CRIPTION O	F WORK PE	RFORMED (BY	PORTMAN)			
MARINE S	SERVICE CORP. PORT, TEXAS	14								_
-	AILY TIME REPORT	37						-		- 6.55± T
но но <u>Ч</u>	<u> </u>	2 8								ï. #
	7- 94	7,79								U
аленоСА	<del></del>	23								
	DRY FROD.	1					1 1			
SADGE										
HO.	MAME						.			
31 J. F. G0	DNZALEZ			ŀ						
17º C DUARTE	:		-							<u>'</u>
272 JL RIVE	 ERA *									
41 SAM PETT	· 									
73 G DE LA	R0\$4									
40 30E OLIV	74.発展で									
27  JESSE 04	MACH:									
	·- <u> </u>									
Farklin	7 /21.									
	·									
		-		_					-	
										<del></del> -
	TOTAL HOURS									<u>え</u>
١ ١	•	COED								

	HERCULES MARINE SERVICE CORP. FREEPORT, TEXAS		DESCRIPTION OF WORK PERFORMED (BY POREMAN)										
			3										
FOI	REMAN'S DAILY TIME REPORT	3	O.										•
		12 5	•										A
JO9 40.	4345	3	1										,
DATE	9-6-84	13	7.18										Ü
_		153	3										
CLASS N	TUORY PROD.	Mr.	100										
BADGE		<del>                                     </del>	<u> </u>	<u>' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' </u>	<del>                                     </del>		<u> </u>		<u> </u>			<del></del>	
HD.	N A W \$	<u>.</u>			<u> </u>					<u> </u>			
31	J. F. GONZALEZ	1/											1/2
179	C DUARTE	/1/2		<del>  -</del> -		-				<u> </u>	<del> </del> -		-
		1		•	1						1	ŀ	
271	J L RIVERA *	1/2											1/2
41	SAM PETTIT	//1	<u> </u>		<del> </del>								1/2
73	G DE LA ROSA	//	· ·					]			]		
40	JOE CLIVAREI											<del> </del>	
27	JESSE CAMACHO												
										ļ			
		1											
	100 TON CLANE	1/2	1_										
	TOTAL HOURS												(c)
	CC	DED.			•							··- ·- ·-	<del></del>

	HERCULES		DESCRIPTION OF WORK PERFORMED (BY FOREMAN)									
JOB NO	MARINE SERVICE CORP. FREEPORT, TEXAS  MAN'S DAILY TIME REPOR  4345  9-1-54	Land I had	Ly October	und from count	13 Just	water from day	of the tab					T
CLASS NO	TUDRY PROD.	-20	190	18		13/2	17.7					
BADGE MO.	HAME							<u>-</u>				
31	J. F. GONZALEZ											1
17 (	DUARTE					1/1						1/2
27 <b>2</b> :	J L RIVERA *	1	· .		1							
41 8	SAM PETTIT									!		
73 (	3 DE LA POSA											
40 3	70E 01.1V4PFT	/				//2	/1	·	, <del>-</del> . ,			27.
<del>27</del> .	JESSE CAMADAO											
\\ \frac{\sqrt{\sq}\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}\sqrt{\sqrt{\sqrt{\sq}\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}\sqrt{\sqrt{\sqrt{\sq}}}}}}}\signt{\sqrt{\sqrt{\sqrt{\sq}}}}}}\sqrt{\sqrt{\sqrt{\sq}\sq}\sq}\sqrt{\sqrt{\sq}\sq}\sq}\sq\signt{\sqrt{\sq}}\sqrt{\sq}\sq}\sq}\sq}\sq\sintitex{\sq}\sq}\sigh	s Gomez					_	1			 	ļ ————	
						-		<u>-</u> -				
	CHEROMICKE	· 2·	, ,					İ				
	TOTAL HOURS											6
INEO 1	m > 2me)	CODED AND STIRLOST					APPROVED					

IVORY PRODUCTION CO.

# o. purchase order

# RECEIVED

Au71 1 1994

HERCULES OFFSHORE
MARINE DIVISION SHIP TO:

P.O. NUMBER DATE
1951 10/17/94

**VENDOR:** 

HERCULES

906 MARTIN LANE FREEPORT, TX 77541 IVORY PRODUCTION CO. 2834 HIGHWAY 332 EAST FREEPORT, TX 77541

QUANTITY	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
1 5 2.5 HRS	9/1 FOREMAN JOURNEY CHERRYPICKER	\$ 27.00 20.00 50.00	\$ 27.00 100.00 125.00
.5 1 .25	9/6 FOREMAN JOURNEY CHERRYPICKER		13.50 20.00 65.00
.25 1 .50	9/26 FOREMAN JOURNEY CHERRYPICKER		13.50 20.00 25.00
.50 .50	9/27 JOURNEY CHERRYPICKER		10.00 10.00
	AN INCREASE IN THIS PURCHASE ORDER AMOUNT MUST FIRST BE APPROVED OF BY IVORY PRODUCTION CO.	·	
	**INVOICES SUBMITTED FOR SERVICES PROVIDED HEREUNDER MUST REFERENCE THE ATTACHED PURCHASE ORDER NUMBER FOR PAYMENT**	FREIGHT:	·
	CHECK #:	TAX:	EXEMPT
	G/L CODE: 6101-0049	TOTAL	\$ 429.00
NOTES:	TO TERMS AND CONDITIONS ON BACK OF FORM	AUTHORIZI	Plzy/94 ED SIGNATURE

#### TERMS OF PURCHASE

(f) ACCEPTANCE - AGREEMENT - Any constant by Seller which recognizes the estimates of a contrast pertussing to the public maters beared shall constitute acceptance by Seller of this perchase order and all of its territy and constitutes consisted on the free and track deteroit. Any terms proposed in Seller's acceptance of Buyer's offer shall be desired natural and are hereby objected to add shall be wind. These decreaming, any documents referred to one the face forward, any specifications, drawings, special interactions, additional dates and conductors incorporated into said anatobel service, and other additional wrongs igned by Buyer which provides an common and recursions agreements between the parties. No other terms or conductors shall be binding upon theyer unless specifically acceptant in writing by no officer of Buyer. If this purchase order has been tended in response to Seller's offer and if any of the terms perturbate order and officer and the same approached to the immuner of dispurchase order by Buyer and constitute as acceptance of soal offer subject to the express content and extraordering date that perchase order conductors that desires service and acknowledge date that perchase order confirmation and officered terms here is and acknowledge date that perchase order contributes the same agreement between Buyer and Saller's Seller shall be documed to have no assumed and attended to desire seller sortifies Buyer to me constray in writing within one (10) steps of receipt of this purchase order.

(3) WARRANTY - Selice capterally warrants that all goods or services farmshed stated that agreetness shall constorm to all spunifications, drawings, menglas, or other disarrants of mandation of adopted by Brayer on all appropriate standards; so all assessments and the goods or services, and that goods will be adopted and the consistency or laterally marked in the consistency or contained, packaged, marked, and jabeled. Selice further warrants that all graph or services furnished hereunder will be que-, nerelamable, the first of the particular personally, used and fit for the particular personal or well-based in which the goods or services of that that or services or containing and fit for the particular personal or which Bayer insinate to use the goods or services or fittle tidd eve normally used and fit for the particular personal or which Bayer insinate to use the goods or services. Selice is obligations under these varyings and the services and fit services and selections. Selice is well-based to the problem of the containing to the fitter of the particular personal throughts. Selice is problemed and the services are selected to the good or services required becomes. Selice is green to replace or convex one purchase the services and containing to the foreign warrants grouply, without capters to beyon when resided of such drives or neo-conformaty by Bayer. In the event that Select fails to convect defense or replace such goods or services promptly, by Bayer. In the event that Select fails to convect defense or replace such goods or services promptly, by Bayer. In the sevent that Select fails to convect defense or replace such goods or services promptly. Person and the services and charge Select for the cost near sentences to Select may take the one control of the propose of the services and charge Select for the cost near sentences. Select may take the other cost of the propose selection of the selection of t

O) PRICE WARRANTY - Seller warrants that the prices for the gonds or services sold berounter are not less favorable than those currently extended to any other customer for the same or anxitus goods or services to anxitus quantities. In the event, feller morning in price for middle goods or services of our other prices hereof contemporable prices benefit or prices hereof contemporable goods or services that prices shown on this performs order shall be complete, and on additional charges of easy type shall be added without Beyon's express written commerce. Such additional charges (orbite) here are not instituted to shipping, packaging, labeling, contains doing, lateling, that it is not contained as the prices shown or insurance.

(4) TERMONATION - Buyer may as any time reveniment this certain the part for its sole convenience upon written associated to reasonable spreadenium charges community of a percentage of the order price reflecting the percentage of work anotherently performed price to commission plus escalar reasonable and measurey direct contents plus escalar reasonable. Solice shall are to be had for any work down after receipt of the transmission spote, or for any count incurred by Solice's suppliers or adocumentary which Solice could have reasonably avoided. Durer toxy also accommend this order is whole or part for came for any default by Solice, or if Solice fails to comply with any of the arms and conductor of their certain participates (again request) shall all be causes allowing Brushes to distinct to provide Buyer reasonable assertance of future generormance (again request) shall all be causes allowing Brushes to tending this order for came. Buyer shall not be liable to Solice for any amount and Solice shall be builde to Buyer for any and all direct and indirect

(S) DOEMNIFICATION AND DISURANCE - SELLER SHALL INDEMNIFY AND HOLD BUYER, ITS DIRECTORS, OPPICERS, AND EMPLOYEES, AGENTS AND PERSONS AND OTHERS TO DRIVEN WHOM BUYER IS RESPONSIBLE MARMLESS FROM AND AGAINST ALL DAMAGES, ACTIONS, SUITS, PROCEEDINGS, CLAIMS, EXPENSES AND EMPLOYEES, AND AND AGAINST ALL DAMAGES, ACTIONS, SUITS, PROCEEDINGS, CLAIMS, EXPENSES AND EMPLOYEES, AND ANY DAMAGE TO ANY PROPERTY OF OR RESPONSE (INCLUDING BUT NOT LIMITED TO SELLER'S AGENTS, SERVANTS, AND EMPLOYEES) AND ANY DAMAGE TO ANY PROPERTY OR LOSS OF PRODUCTION OCCASIONED BY, ATTRIBUTABLE TO, ARESING OUT OP, OR ANY WAY INCIDENTAL TO OR IN CONNECTION WITH THE GOODS OR SERVICES PROVIDED BY SELLER HEREUNDER (INCLUDING BUT NOT LIMITED TO DEFECTS THEREIN, STRICT LIABILITY ACTS, OMISSIONS, REPRESENTATIONS AND TRADE PRACTICES OF SELER. TIS SEMILOYEES, AGENTS, SUBCONTRACTORS, INDEPENDENT CONTRACTORS AND TYEIR EMPLOYEES AND INCLUDING ANY INIURY, DEATH, DAMAGE OR LOSS CAUSED BY BUYER S SOLE, JOINT, OR CONCURRENT INGLIGENCE: IF REQUIRED SOUTH AND THE SHALL RESPONSE BUYER SHALL ASSIME, WITHOUT EXPENSE TO BUYER THE DEFENSE OF ECHOLAIM. SUTTE, ETC., SHALL REMINURES BUYER FOR ALL EXPENSES INCURRED BY BUYER IN INVESTIGATING, DEFENDING, AND REGARDONG SUCH CLAIMS, SUTTS, ETC. THIS INDEMNIFICATION SHALL BE IN ADDITION TO THE WARRANTY DELIGATIONS OF SELLER. Selfer shall also devoke the medic coverage and links use for how are feetery of medical ferrous and links use for how are feetery of medical ferrous.

house their same and the branch or density from the	,
COVERAGE	MINIMUM AMOUNTS & LIMITS
Workers Compensation	Stabukery
Employers Liability	\$250,000
Comprehensive General Liability including broad form contractual, broad form property damage, XCU bazards, completed operations and product (tability	\$500,000 combined single-lical each occurrence for bodily injury and property damage.
Comprehensive Asso Lability (owned and non-owned)	\$500,000 combined single-times each recurrence for body injury and property damage.
Langthorepses's and Harton Worker and Jonas Act when work upon or consignate to givingable waters.	\$1,000.000 per aucidess.
Watercraft and aircraft liability when work involves Selter owned or operated watercraft or aircraft.	\$2,000,000 combined single-limit each occurrence.
Umbuella Liebility	\$1,000,000

Scalar shall report Buyer as editional instead on all required insurance policies and, upon Buyer's request, shall some Buyer's request of the goods or services furnished betwender as nath additional insured. Sciller's requests coverages shall be primary insurance with an action of the primary insurance with Buyer's insurance. Sciller and its insurers was fur rights of subrogation against Buyer and its improvame, customers and ultimate users of the goods or services furnished hereuades, and all required insurance policies shall contain a provision waving all rights or subrogation against Buyer and its employees, customers and reach buyer and its employees. Customers are reached the Bull, upon Buyer's request, provide certificates of insurance evidencing such coverage. Super will be given as least thirty (30) days prior version oxide to the every of any material change in or cancellation of and coverage.

(6) PATENTS: Sellar agrees upon receips of moufication to promptly assume full responsibility for defense of any varior proceeding which may be brought agreed Buyer or its agrees. Contineers, or other vendors for ableged pattern infragement resulting or relating to the use or sale of greate or services furnished between as well as for any alleged unfair composition resulting from statuturity to design, conditable or approach of greate or services furnished terrounder. SELLER FURTIER AGREES TO INDEMNITY BUYER, ITS AGENTS AND CUSTOMERS AGAINST ANY AND ALL EXPENSES, LOSSES, ROYALTIES, PROPTIS AND DAMAGES INDELUDING COURT COSTS AND ATTORNEYS FEES RESULTING FROM ANY SUCH SULTY OR

PROCEEDING, INCLUDING ANY SETTLEMENT. Buyer may be represented by and actively participate derough its own anomal is any such sait or proceedings if it so disaren and the costs of each representation shall be paid by Selfur a debtion so the slower conferency; in other event that the extent that we are asset may see that the services is exposed, Selfur and all beyor's upcome, as debtar to we express, procure for Buyer the right to condition, using such poods or services, or topicace name with equivalent non-infraging grads, or services, or nodify said proofs or services, or another participation and or services or the procure non-infraging grads, or services, or nodify said proofs or services of the procure non-infraging grads.

(f) LIMITATION OF LIABILITY - STATUE OF LIMITATIONS - In to ever shall Buyer be liable for intidepend grofing of for incidental or committee and diseases or presides of any disectipation. Buyers's liability for any claim, loss or demans availing or of or to commercion with this agreement or from the performance or breach thereof shall us on case reacced the price allocable to deposits or services or used thereof whole given rise to the claim. Any across creating from any breach on the part of Buyer sensitive committees or with thereof whole given rise to the claim. Any across creating from any breach on the part of Buyer sensitive committees or with the claim of actions has been added or it shall be barred.

(6) PROPRIETARY INFOR-SATION - CONFIDENTIALITY - Safler shall created all information furnated by Buyer to be confidential and shall not duclose any such information to any other person, or one such information to any purpose other ductions of the companies of this companies unless Selfer obtains written personnels in any such from Buyer to do so. Thus purappes dual also apply to deswrings, specifications or order documents propagate by Selfer for Buyer in committee which drawmonts shall become the soft property of Buyer. Unless otherwise agreem in writing, no continential francial or methical information ducloady in any manurar or us any state by Selfer to Buyer shall be defined accurate or confidentials and Selfer shall have no rights spingly Buyer with respect thereto except much rights so they cut water means laws.

cf) FORCE MAJEURE - Buyer may delay delivery or acceptance occanomed by creates buyond its control including, but an limited to sent abbutage inpurenties, exhalting or other act of cityl discharations, each of any government or any agency or substituted thereof, publicial action, labor dispute, first, accident, explosion, epidemics, quaranties, retrictions, storm, done, carefugalet, or other act of God, imprecisionly, a stormer of labor, Red, two mentals of stackborry or inclinical fairlyer. Settler that lightly made as the dynamics of Buyer and shall deliver finite when the cause effective the date for labor has been encounted.

(18) CHANGES - Boyer shall have the right to change this order including, but not limited to, the right to make changes in drawings, design, specifications, staterials, melhadrias, desaction, time and place of delivery and motive order of orangements. If my such change causes as formers or decrease to decrease to decrease, or do time required for the performance, as equalable adjustment shall be made and this agreement shall be modified as writing accordingly. Settler agrees to accept any each change andpact to the paragraph. Any claim by Salder for edjustment under this clause shall be decided visived unless asserted in writing within any (10) days from recovery of the change by Settler.

(11) DISPECTION - TESTUNG - Payment for the ground delivered or agreeious performed hermander shall not committee apoptation therman. Beyon shall have the right to impose such ground or services and to rejoo stay or all of said ground or services which are above it judgment defective or teneouslement of Goods rejected and ground supplied in exacus of quantitates called for services which are returned to Schler at six express and in addition to Bayer's other rights. Buyer may charge Selfer all express or impacking, remaining and realisping of much ground. In the event Buyer receives goods or services whose defects or non-conformative are not appared to everyment as well as payment of decreages, non-delivorative payment of decreages, non-delivorative payment of decreages, non-delivorative payment of the service of decreages and decreages of the surroundermality, its arbitrativation or the sase of its delivorative.

(LS) LAWS - Seller ventrants that all goods or privious sold herrougher shall have been produced, sold, delivered and femiliped to strict compliance with all applicable lower and regulations to which the goods or services are neighbor and SHALL INDEMNIFY AND MOLD BUYER HARMLESS FROM ANY LIABILITY RESULTING FROM FAILURE TO SO COMPLY. Upon require, seller shall furnish theyer certificates of compliance with such laws, roles, regulations and stores, Selter agrees to obtain and lump in effort as own expense all permains and licenses required for Seller's performance bernander.

(U) EQUAL OFFORTUNITY - Neither Seller tax any subcommenter or their imbooraneous shall discritatement against septembers or applicant for comployment because of race, religion, point, sex, metional original, or age. Seller shall take affirmative across somere applicants and employment sellent without regarded to their race, religion, policy, and, and under the respective shall comply with all applicable have and regulations regarding employment of the handscapped, disabled, or Victoria extraversal, majority hasterias reactified and some statements observed, which have said regulations are encorporated bettern. Seller hereby confire that it does not missiate segregated facilities. Seller hereby agrees to comply with the laws and regulations set forth in any anactiments herein and provide Styrer, upon request, with certifications of compliance.

1149 INDEPENDENT CONTRACTOR - Seller shall be an independent contractor with respect to the performance berounder, and micher Seller our any persons used or employed by Seller shall be deemed for any purpose to be the employed, agent, servant or representative of Buyer in the performance of any work or service or any purit thereof, in any manger than with benefit shall have fall care, custody and control of its facilities, equation, employees, agents, servants, and representatives except in the remails to the obtained.

(15) ASSIGNMENT/SUBCONTRACTING - No pain of this order may be assigned or subcontracted without the prior written

116) SETOFF. All claims for money due or to become that from Buyer shall be subject in deducated of setoff by Buyer by reason all are conservation unitaries out or this or are other transaction with Seller.

(17) DELEVERY - Time is of the essence of this contract and if delivery of items or rendering of services is not completed by the time processed. Buyer receives the right without liability in addition to to other rights and remodest. On terminate discontinuous to season only separate support or services any or performed, and obtain such groots or services developed and that particles are yet provided on the face betted, all shapments are F.O.B. Buyer's precision. Submitmons with any for acceptate and the order must be shapped completely and the services performed by the date specified under underwise recommend buyer. Conduct which are delivered to advance of schedule winding approved may, a Buyer's opinion, be returned a feller's expense for proper delivery have payment therefore withheld by Buyer until the date groots are acceptable of the delivery of phases in some general submitted and approved may, and subjects of the approved and approved only included for delivery on phases in include. Final adapting if one the upplies papers and involves accommanding the subspects of modern fill increde to comply with Buyer's propained delivery date in becomes necessary for Seller to shap by more expensive way than agracified in this purchase order, any secretaesd transportation counts resulting therefrom shall be paid for by Seller unders the microsity for sub-trevosing or expensive

(18) WAIVER - Buyer's fashare so insist of performance of any of the tertus or conditions herein, fallow to exercise any right or provider, or Buyer's waiver of branch hereof shall not theteaker waive any other terms, combitions, or privileges whether the states or infinite rows.

(19) SEVERABILITY: If any promision of this purchase index is disclared word by any count of comprehen jurisdoction, then this pervision; shall, as Buyer's option, be considered severable and the remaining promisions of this purchase order shall tentate in fall increase and effect. In the every term count of competers jurisdoction and declare any promision of the indemnification nation insurable provisions of this purchase order in the visual, the data persons dischared word shall be structure as if it were rever contained herein, the remaining promision and it remains in hall firste and effect and SELLER SHALL INDEMNIFY AND HOLD BUYER HARMLESS, NAME BUYER AS ADDITIONAL NAMED INSURED AND WAIVE SUBPROCATION AGAINST BUYER TO THE FULLESS EXTENT PERMITTED BY LAW.

P. O. Drawer O • Freeport, Texas 77541

INVOICE NO. : 2641-94

DATE

Oct 10, 1994

Job No.

4349-1

Location

Freeport Yard

TO:

IVORY PRODUCTION

ELEVEN GREENWAY PLAZA Suite 1606

HOUSTON, TEXAS 77046

PLEASE REMIT PAYMENTS TO:

11011 RICHMOND SUITE 500 HOUSTON, TX. 77042

		P. O. # IV-951	Terms	: Net 30
FOR:	Services	as follows:		
	GALV. 29	5 <b>-</b> B		
	9/1/94	Unload 2 trash baskets, 3 fule to bottle, 2 - 55 gal drums from critical 3 fuel transporters from do Load tote tanks from dock to trustoreman 1 @ 27.00  Journey 5 @ 20.00  Cherrypicker 2½ @ 50.00	ew boat to dock ck to crew boat	\$ 27.00 100.00 125.00
	GALV. 296	i-B		
	9/6/94	Load 2 trash baskets, 2 empty ba Foreman ½ @ 27.00 Journey 1 @ 20.00 Crane ½ @ 130.00	rrels from deck to truck	13.50 20.00 65.00
	GALV. 296	i−B		1
	9/26/94	Unload 4 tote tanks and 1 barrel Foreman ½ @ 27.00 Journey 1 @ 20.00 Cherrypicker ½ @ 50.00	from truck to dock	13.50 20.00 25.00
	GALV. 296	; <b>-</b> A		
	9/27/94	Journey 5 0 20.00 Forklift 5 0 20.00	TOTAL AMOUNT DUE:	10.00 10.00 \$ 429.00

PHONE: (409) 233-6371

# m/1 ~

# I WOLT PLOO. GAL 296-B

- 1- 40TE CP- 4040 CHEM.
- 1. totE LET HIB 5030 CHEM.
- 1 FOLE JET CLAY 1930 CHEM
- 1- FOTE (IHED 800 BIL
- 1. 55 GAL DIVM ROTELLA 40 OIL



# L.L.E. GAL 313

- 1- TIASH BASLET
- 2- 55 GAL DIUMS METHORAL
- 3- 30' RING BOOY
- 4- 6 WOLT BATTONIUS

# NEWfreLD Gar 248 - 296

- 1- DIOM MAGNACLERI
- 1- DIUM MAGNALIDE

# HERCIKES OFFSHORE CORPOSATION MERINE DIVISION JOB COST MORESHEET

Tob. #: 4349   Date = 1 . Ped:   Job. Type:   Customer: TVC   Estimated Mat   Estimated Lab	PY PRODUCTION		Rarge Name/#: {	
Estimated Was Tota: Estimat	ste Water:	.0.00	TOTAL Waste Wate TOTAL JOB COST AMOUNT BILLED PROFIT/(LOSS)	er: 0.00 : 26.74
+	·	WASTE WATER D	[SPOSAL	**************************************
i# of Gallyns:		v \$ 0 35	per gallon = 4	5: 0.00
		MATERIAL	5	
!Tovojce #	Vendor		₽.0. #	Amount.
1 .	:			:
1 .	:		:	· =
1 :	· :			; :
1 -	:		• •	:
	:		:	:
:	;		:	; ;
1 :	:		:	:
1 -	:		:	:
	:			•
† :				;
+		MATERIALS c	on't	
!Invoice #	Vendor :		P.O. #	Amount ;
	<b>:</b>		÷	
::	÷	•	: :	: :
1 .	:		:	:
1:	· :		•	;
1.			;	:
1 :	:		:	
F = 1	; ;		:	:
1:	:		•	:

TOTAL MOTERIALS : 0.00

# LABOR HOURS

Emp#	Employee Name	Init	Pay1	Hours	Total		Pay2	Hour s	Total	
31	: GONZALEZ	,: J								
272		.: J								
: 41	: PETTIT	,: S								
;	;	,:	Ļ	•	•	******	-	•	•	<del></del>
:	:	, <b>:</b>	:	:	:	0.00		:	:	0.00
‡	:	:	•	:	:	0.00	:	:	=	0.00
:	:	, :	7	:	:	0.00	;	ī	1	0.00
:	:	. :	:	: .	:	0.00		:	:	0.00
: ·	•	, <b>:</b>	:	:	:	0.00		:	: .	0.00
:	•	. :	;	:	:	0.00	:	:	:	0,00
:	:	, :	:	•	•	0.00	:	7	:	0.00
	•	-		1		0.00	:	:	;	0.00
:	:	. :	:	•	:	0.00	:	:	:	$- \circ - \circ \circ$
:	;		;	•	:	$-\phi_{+}\phi\phi_{-}$		P.		0.00
:	:	. *	:	:	ː	$-\tilde{Q}^{-1}\tilde{Q}(0)$		7	:	0.00
<b>:</b>	:	, 1	:	=	•	0.00		:	<u>:</u> .	0.00
:	•	. :	:		:	0.00	:	:	•	0.00
				LABOR HO	OURS cor	't				
 Emp#	Employee Name	Init	Pay1	Hours	Total		Pay2	Hours	Total	
:	:	<b>,</b> :	:	:	:	0.00	;	÷	:	0.00
:	;	, <b>:</b>	:	:	:	0.00	:	;	:	0.00
:	:	,:	;	:	:	0.00	:	7	1	0.00
:	:	,:	:	:	:	0.00	:	:	:	0.00
7	<b>:</b>	, <b>:</b>	:	:		0.00	:	:	:	0.00
:	;	.:	:	:	7	0.00	:	;		0.00
	:	:	:	:	:	0.00	:	:	<u>:</u>	0.00
:	•	, :	;	•	:	0.00		:	;	0.00
: :	•		_	:		0,00	:	;	:	0.00
: : :	:	, :	:							0.00
: : :	:	, : . :	:	;	:	0.00		•		
: : : :	· : :	. :	: :	; ;	:	0.00	:	:	· ;	0.00
: : : :	· · ·	, t	; ; ;	† †	; ;		:	: :	; ;	
: : : :	·	, t . : . :	: :	t t	: :	0.00	:	: :	; ; ;	0.00
	· · · · · · · · · · · · · · · · · · ·	, t	: : :	: : :	: : :	0.00 0.00	:	: :	, ; ;	00.00
:	•	, t	: :	; ; ;	: :	0.00 0.00 0.00	:	: :	· •	



# Strangth through experience, equipment, know-now 11011 Richmond Ave., Sulte 500 Office (713) Houston, Texas 77042 Fax. (713)

Office (713) 789-7983 Fax (713) 789-4063

2201B/EAT	HOURS USED	HOURLY RATE	TOTAL PRICE
OOMPRESSOR	**************************************	**************************************	
AIR POVERS		5.00	1
FORKLIFT	***	20.00	Į
TUC BOAT	*	\$ 80.00	
STEAM RIG (BOILER)	*	80.00	
VACUUM	*	18.00	
TRAND HOSE		10.00	
HAUL OUT	*	1100,007D2Y	
	*	*	
WELDING MACHINES		15,00	
CHERRYPICKER		50.00	-
CIVAND	216	130.00	
FLATBED TRUCK		20.00	
	*	ar ar	
<u> </u>	į.	*	
<del></del>		*	
3" CAS PUMP	‡	14.00	
e Sipip Pump	*	12.00	
BUTTERWORTH	) 	10.00	:
" ELECTRIC PUAP	*	± 15.00	. /
ORK BARCE		35.00	
CUITING RIGS		8.00	
	*	<b>.</b>	r
IMTE: 9-1-94	JOB NO. 4	349 BARE NAME: 7	IVORY PROD

The state of the s

# HERCHLES OFFSHORE CORPORATION MARINE CIVITATION JOB COST WORKSHEET

130b **#:** 4349 Invoice #: Date Storted: Sentember 06 1994 Date Finished: September 27, 1994 TIME INDEPENDANT CAPTING Lineshower: FUNRY PRODUCTIONS Berne Namez#: 'DobiNG TOTAL Materials TOTAL Labor 'Fatimates Labor 35.30 TOTAL dasta Water: 0.00 Batimated Waste Water: 35 30 <sup>†</sup>ருக்கு) நெருந்தாதுகளி நிறுத்த ந OLGO TOTAL TOR COST AMOUNT BRULED ବ୍ୟତ୍କମନ୍ଥର୍ଥର ( -35,30° - MASTE WATER DISPOSAL i# of Gailons: +  $\pm$  0.35 ver 0.81 on  $\pm$   $\pm$  0.00Trovolee # Version <u>Amount</u> !Invoice # Vendor P.O # Amount HER 04571

TOTAL MATERIALS : 0.00
------------------------


				į AROS	२ पहल्ल					
––– Emp≇	Emolovee Name	Init	<u> </u>	Hours	Total		Pav2	Hours	Total	,
:179	: DUARTE	,: ¢								
: 31	: GONZALEZ	. J								
: 40	: OLIVAREZ	.: J								
:	:									
:	:	. :	•	<u>:</u>	;	00.00	•	•	:	0.00
;	;		:	•	:	0.00	:	:	÷	0.00
:	:		;	:	:	0.00	:	: .	:	0.00
÷	:		:	:	:	0.00	:	:	1	$= Q \circ f(\sigma^*)$
:	*	,:	1	;	:	0.00	:	:	• :	0.00
•			•	:	;	O(100)	:	:	:	$= C_1 - C_2 C_2$
:	•	, •	:	:	:	0.00	÷	:	:	0.00
:	•		•		:	0.00	:	:	:	0.00
:	:	. :	:	<del>*</del>	1	0.00	:	:	:	0.00
:	:	:	:	;	:	0.00	:	:	:	0.00
:	:	:	;	:	:	0.00	:	:	:	0.00
:	:	. :	:	•	:	0,00	;	:	:	0.00
:	:	.:	: .	:	;	0.00	:	:	:	0.00
				LAROR HO	MURS cor	n i t.				
Emp#	Employee Name	Init	Pav1	Hours	Total		F3V2	Hours	Total	
;	•	. :	<del>-</del>	:	:	0.00	?	Ť	:	$-\hat{O} - \hat{O} \hat{O}$
•	•	•	:	•		0 OO	1	:	7	- ψ - ψΦ
:	:	2		:	:	0.00	:	7	:	0.00
:	:	.:	•	•	7	0.00	:	:	:	0.00
;	•	. 1	:	:	:	0,00	:	•	:	9.00
:	:	, :	:	:	:	0.00		:	:	0.00
;	:	. :		<del>:</del>		C. Cr	:	:	:	0.00
;	:	, :	:	;	;	0.00	!	:	:	9,09
:	:	. :		;	6	0.00	:	:	•	0.00

Emp#	Employee Name	Init	Pav1	Hours	Total		Pav2	Hours	Total	!
1 :	•	. :	Ŧ	:	:	9.00	2	Ť	:	0.00 }
! •	•	•	:	•	•	0.00	<u>:</u>	:	7	0.00
1 :	;	:		:	:	$- \circ - \circ \circ$	:	7	:	0.00
! :	:	. :	•	•	7	0.00	:	•	:	0.00
<b>;</b> ;	•	. :	:	:	•	0.00	:	•	•	0.00
!:	:	. :	:	:	:	0.00	:	;	:	0.00 1
<b>!</b>	:			÷	:	Confra	:	:	:	0.00 1
	:		:	;	;	0.00	1	:	:	0.00 !
1:	:	. :	:	:	4	0.00		:	:	0.00 1
! :	:	. :	:	:	:	0.00	<b>:</b>	:	:	0.00
! :	:	. =		:	=	0.00	:	:	•	0.00
<b>!</b> :	•	•	:	:	•	0.00	:	•	•	0.00 !
1:	!		:	:	:	$\odot$ , $\odot$ $\odot$	:	-	;	0.00
<u> </u>	:	. :	:	:	•	0.00	:	<del>.</del>	:	0.00
<b>{:</b>	•	. •	;	;	:	0.00	:	:	-	0.00
<u> </u>	:	:	:	:		^ ^^	-		-	<u> </u>
!		ت.∵.	TAL	:						

Quong Sab. 296-8 55 9/1/94 Unload a trash haskets, 3 fuel Transporter / nitrogen bottle, 2-55 gal. dueno from crew host to dock. Toad '3 feel transportes from dock to crew boat. Lood tole tanks from dock to teuch. Foreman 1 c 27.00 Equip - Chungicher 2/2 C 50.00/l. 125.00 Hal. 296-B 9/6/94 Load 2 track bookets, 2 ampty barrels from deck to truck. Forman 1/2 e 27,00 /3.50 Journey 1 @ 20.00 20.00 Equip- Clane 12 hrs. 130.00 65.00 Unlood 4 tote tanks + 1 banel from truck to dock Townson 12027.00 /3.50 Journey 1 @ 20.00 20.00 Oleny /2 @ 50.00 <u>25.00</u> Dalu 296-A 1/37 Mou havels from shop to dock Journey 12 @ 20.00 10.00 Forklift /s e 20.00 10.00 429.co

-			STRAIGHT B			Shipper N	ko	1
Page	of <u>1</u>	_	OWN (Name	of carrier)	(SCAC)	Carrier N	io	-94
		RODUCTION	contaignée s name or ax omanées provided in Riinh 430, Sec. 1	FROM: Shipper	CHEMJECT INTE	<del></del>	AL	
CREED		S DOCK State TX	620 296·B	Street	Houston	•	Zip Code	77043
Only 11		State TX	Zrp Code	24 hr. Eme	ergency Contact Tet. No.		/ehicle	
No. of Units & Container Type	нм	Gentifi	BASIC DESCRIPTION Proper Shipping Name, Hazard Class cation Number (UN or NA) per 172.101, 172.	202. 172.203	TOTAL QUANTITY (Weight, Volume, Gallone, etc.)	WEIGHT (Subject to Correction)	RATE	CHARGES (For Carrier Use Only)
l tote	ж	3 UN19	93 II		550 gal			
		CP 404	0 .					
		flamma	ble liquid					
l tote		Non Ha	zardous	<u>-</u>	550 gal			
		Citgo	800					
		Non ha	zardous; non-regulated	liquid				
1 drum		Non ha	zardous		55 gal			
		Rotell	a 40 wt motor oil					
		Non ha	zardous; non-regulated	liquid				
1 tote	х	3 UN19	93 II Flammable Liquid	, n.o.s	. 550 gal			
		jet Hi	ь 5030					<u> </u>
		flamma	ble liquid					
1 tote		Non ha	zardous; non regulated	l liquid	550 gal			
<del></del>		jet cl	ar 1920					
PL.	ACARI	DS TENDER	RED:YES (INO [	REMIT COD TO ADDRESS		I a	O.D. FEE:	
Note — Where the rate required to state specific value of the property. The agreed or dectar specifically stated by the	sally in writing th rad value of se	e properly is hereby	I hereby declare that the contents of the consignment and fully and accurately seasonbed above by procest shepped pages and see cleasanted, pecked, wented and leaved, and nated and respects to proper controllor for range to the Majerium B. Water (DELETÉ NON-APPLICABLE MODE OF TRANSPORT) according to applicable international and national governmental regulations.	Subject to Section and Section	ction? of the conditions, if this shipment is to be out recourse on the consignor, the consignor part.	open-ered to the shall sign the CH	EPAID   S SLECT   S STAL HARGES: \$	eck box 4 charges
this Bell condition which si corpora delivery	of Lading. The p in of contents of aid carrier (the v lion in possess all said destina	roperty described above in plipackages unknown), mu vorticarrier being understo Non of the property under thori, if on its route, others	Signahue awhully filed lianths in effect on the date of the issue of all and the control of the control of the issue of all and the control of the control of the control and the control of the control of the control the control agrees to cally to its usual place of the control of another cannot not the row to its said of an or any of, said property over all or any por light of	said fould service to governing Shippe governing	Eigenwaye Congress  [In dissimilation and as to each party at any time to go destination and as to each party at any time to go destination on the date of spinyment.  In hereby cerviles that he is tamiliar with all it consists cannot and the safe terms and conductor time and the safe terms.	nterested in 88 or any s if the bill of lading terms the bill of lading terms	and conditions in the	•
HIPPER Ch	emjec	t Internat	ional	CARRIER	Chemject Intern	national		
PER			<u> </u>	DEB				<del></del> दी

SHIPPER Chemject International	CARRIER Chemject International
PER	PER
	DATE 9-26-94



STYLE F65 LABELMASTER, An American Labelmark Co., Chicago, IL 60648 800/621-5808

٢	- IVORY I			DELIVE	RY TICKET	NO. 10	006	
Sold to:	- -	104 UCT 18		Janese Marie Control of the Control	CH	ENG.	N.	
Ship to: 7	Hercules Freeport	Dock Tx		·	INTI 110 Housto	EHEMJEC ERNATIOI 36 N. Kirkwo on, TX 77043 713)556-661	NAL ood 3-4543	· .
	76-94	County:		Rig:	Ga	/V, Lp	ase: 29	6-B
PO/AFE:				Point of Orig	<u>.</u>		la.	
Shipping Metho	d:			Salesperson	:		Pricing Code:	·
DOT CODE	PRODUCT NAME	PRODUCT CODE	BATCH CODE	NO. DRUM/ TOTE-	COST/ UNIT	NOJ GAL,	COST/ GAL.	TOTAL
	C.P	4040		1 tote		<u>550</u>		
	Citao	800	<u>.</u> .	1 tota		550		
	Roteria	motor oil		1 drum		55		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Jet Hib	5030		1 tote		550		
	Jet Clar	1920		1 tote		300		
-	·		· <del>···</del>				-	
	·		· · ·	:				· · · · · · · · · · · · · · · · · · ·
			<u></u>		<b>-</b>			· · · · · ·
MISCELLANEO	OUS CHARGES	<u> </u>		<u></u>		<u> </u>		
	(N)							
	76							
NOTES	<u></u> -	<u> </u>	· 			CI ID =	OTAL	
10159	<del></del>	<u> </u>		·	_		AX	
	<u> </u>			<u> </u>		·· <del>-</del> ·····	ral	<u> </u>
APPROVED B	Y:		<del>- ,</del>	PECE	IVED BY:	m. C		) }
DATE:				RECE	$\sim$			


CUSTOMER

HER 04575

#### Shipper No. ORIGINAL-NOT NEGOTIABLE Page $\underline{1}$ of $\underline{1}$ OWN Date 9-26-94 (SCAC) FROM: CHEMJECT INTERNATIONAL IVORY PRODUCTION 1136 North Kirkwood HERCULES DOCK Street State TX Zip Code 77043 Çity Houston FREEPORT (713) 556-6616 TX Zip Code Cay 24 nr. E.nergency Contact les No. Vehicle Number Route BASIC DESCRIPTION CHARGES TOTAL QUANTITY MEIGHT (Subject to No.of Units Proper Shipping Name, Hazard Class Identification Number (UN or NA) per 172,101, 172,202, 172,203 frit. (For Carron Use Only) (Weight, Volume Gallone, etc.) Correction) & Commonet Type х 3 UN1993 II 550 gal 1 tote CP 4040 flammable liquid Non Hazardous 550 gal l tote Citeo 800 Non hazardous; non-regulated liquid 55 gal Non hazardous 1 drum Rotella 40 wt motor oil Non hazardous; non-regulated liquid 550 gal 3 UN1993 II Flammable Liquid, n.o.s. l tote jet Hib 5030 flammable liquid Non hazardous; non regulated liquid 550 gal 1 tote jet clar 1920 REMIT G.O.D. TO: ADDRESS PLACARDS TENDERED:YES \_NO \_ C.O.D. FEE PREPAID | | | COLLECT | | COD Amt: \$ TOTAL CHARGES: FREIGHT CHARGES RECENTED, subject to the classifications and favility lated multiplined copies of the issue of this Bit of Labora, the property described above in appearing good project accepts a notice (consents and consents of both above and project accepts and described above in appearing and desirated as must accept and multiplications and contents of places produced above wheth said Centre (the more career being undescribed throughout this contract as meaning also persons wheth said Centre (the more career being undescribed throughout this contract as meaning also persons and contents of the property under the contract) agrees to carry to a subject to devivery as said described in a six rules ordinaries of all ordinaries carrier on the roles to said. said (quie to destination and as to vacin party at any unterinterested in after any said property, that every service to be performed revenued shall be subject to as the die of quanty terms and conditions in the governing classification on the calculationaria. Shapper hereby certifies that he is fairness with sair (the bid of lighing terms and conditions in the powering classification and the said sering and conditions are hereby agreed to by the shapper and accepted for himself and his assigns.

SHIPPER Chemject International	CARRIER Chemject International
PER	PER
	DATE 9-26-94

Permanent post-office address of shipper.



STYLE F65 LABELMASTER, An American Labelmark Co., Chicago, IL 60646 800/621-5808



# FIVE STAR TRANSPORTATION, INC.

(713) 452-3191 • 7814 MILLER RD. # 3 HOUSTON, TEXAS 77049

RRC 6165	5 77049	MC 157924		
TRUCK WAYBILL		9/L N	lumber	·
O: 11 Grornway Plaza Suite 1606		Date O	9-06.	94
HOUSTON TEXAS	<u> </u>		For O	fice Use On
	Truck No.	300 300 A		
RIGIN: Hercules DOCKS	Driver No. 1			
MIGIN: Hercules DOCKS MARLIN DR. Freefort, TY7754/	Driver Name Driver No. 2	T. MI'LAKE	N	
STINA- TUD BY PRANTICE ION	Weight	<u> </u>	Rate	
ON 2834 E. HWY332	Intra/Inter Unit Meas.			
Freeport, TX77541	Shipper's Orde	er Number		
OAD: DELIVER:	-,			
UANTITY DESCRIPTION OF ARTICLES		WEIGHT	RATE	FREIGH
2 rig best full of mice	suplie		1 1	
	//-		j.	
	-	į.		
				1.
				-
				-
				i.
IPPER A American According	Material Re	selved in Good On	der	-
HPPER Hercules DOCKS	Material Red	selved in Good On	der	
HPPER Hercules DOCKS	Material Red	ceived in Good On	der	
IPPER Hercules DOCKS	Material Rec	ceived in Good On	der	
IPPER Hercules DOCKS	Material Rec	ceived in Good On	der	
IPPER Hercules DOCKS	Material Red	selved in Good On	der	
IPPER Hercules DOCKS	Material Rec	ceived in Good On	dor	
HPPER Hercules DOCKS	Material Red	ceived in Good On	der	
HPPER Hercules DOCKS	Material Red	selved in Good On	dor	
HEPCULES DOCKS	Material Rec	ceived in Good On	der	
HEPCULES DOCKS	Material Red	ceived in Good On	dor	
HEPCULES DOCKS	Material Red	ceived in Good On	do:	
HIPPER Hercules Docks	Material Red	ceived in Good On	der	
HIPPER Hercules DOCKS	Material Red	ceived in Good On	der	

# Cargo Manifest

Date Loaded: 8-31-94

From: GALU. 2968 To: Heren les Doch

Tga-1 Asptune.

1	011110000			Mana ind Owner or Supplier		
	COLUMNITY	PERSONNELAWATERIAL DESCRIPTION	CONDITION OF CARGO	Marne Location Phono		
1	2	Jash Stiskets	all deck brands	TUDBY 49-23-8544		
	- Break Street - Land Street	- Jean- transporters	anoth rielf and seture	PHI		
		tote tank 10gal	retire to chemical	Chemist 713-556-6620		
		Tota took 4040 50 gol.	Heliam to Changet	Changet 713-556-646		
		nitrozen bettle	God Co	Type		
- 1		55gal deums	Hewfield Bad	Cherryet		
-			<del></del>			
	<del></del>					
ļ	·					
1						
ij			1			
	· ·	1				
			<u> </u>	ļ į		

# HERCULES OFFSHORE CO.

MARINE REPAIR MARINE OPERATION OF THE PERATURE OPERATURE OPERATION OF THE PERATURE OPERATION OF THE PERATURE OPERATURE OPERATION OF THE PERATURE OPERATION OPERATION OPERATION OPERATURE OPERATION OPERATURE O	CUSTOMER P.O.
ORDER NO	C VORY PRODUCTION  S DILLING APPRESE T O CITY AND SYSTE  M PHONE NUMBER  R PHONE NUMBER  FRANK  STOCK MATERIAL YES NO  IF YES, COMPLETE STOCK MATERIAL TRANSFER TICKET  OUTSIDE SERVICES YES NO
IAUL OUT FOR INSPECTION AND REPAIR YES NO	
DATE:	
ON WAYS DATE:	
ITEM	NUMBERS
1 Load and Unload so	pplies
3	
4	
5	
6	
7	
8	
9	<u> </u>
0	
HIS SHALL SERVE AS YOUR AUTHORIZATION TO PROCEED	WITH THE ABOVE.
Signed:	Date:

# MO Project Services, Inc.

# Cargo Manifest

Date Loaded: 8-31-94	Transportation: Theptune.  Loaded by: 1 teams 0
From: BAW. 2968 To: Hercules Doch	Received Manifest:

CHANTED	DEDECAME ALL TEDIAL DECOMPTION	CONDITION OF CARGO	Material Owner or Supplier	
QUANTITY	PERSONNEL/MATERIAL DESCRIPTION	CONDITION OF CARGO	Name Location Phone	
2	Jash Juskets.	old deck boards	ILDRU 489-2-13-8544	
3	Jul transporters	anote refilland return	PHI	
1	tate tanks IDgal	return to chamiest	Chemiet 213-556-66.	
	tote tank 4040 50 gal	return to Chaniset	Chemiest 213-556-646	
/	nitrosen bettle	Sivel	Tucky	
3	55 GAT drums	Thurfield Bad	Chemised	
· · · · · · · · · · · · · · · · · · ·				
<u> </u>		yl i		
		4	•	
Transporture i will by the second of the sec	and the second s	· · · · · · · · · · · · · · · · · · ·		
			·	

**EXON** COMPANY, U.S.A. A DIVISION OF EXXON CORPORATION

10/08/87 DATE ISSUED: SUPERSEDES DATE: 09/17/87

## MATERIAL SAFETY DATA SHEET

EXXON COMPANY, U.S.A. P.O. BOX 2180 HOUSTON, TX 77252-2180

# A IDENTIFICATION AND EMERGENCY INFORMATION

PRODUCT NAME

TURBO 'FUEL A

PRODUCT CODE 120400 - 00072

64742-47-8

CAS NUMBER

CHENICAL NAME Turbo Fuel A

PRODUCT APPEARANCE AND ODOR Clear water-white liquid

faint petroleum hydrocarbon odor

EMERGENCY TELEPHONE NUMBER

(713) 656-3424

## COMPONENTS AND HAZARD INFORMATION

COMPONENTS

CAS NO. OF COMPONENTS CONCENTRATION

Hydrotreated light distillate,

64742-47-B 100%

petroleum

See Section E for Health and Hazard Information

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS)

Health Flammability Reactivity BASIS

٥ Recommended by Exxon

EXPOSURE LIMIT FOR TOTAL PRODUCT

BASIS

Recommended by Exxon

100 ppm (735 mg/m3) for an

8-hour workday

# C. PRIMARY ROUTES OF ENTRY AND EMERGENCY AND FIRST AID PROCEDURES

#### EYE CONTACT

If splashed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If irritation persists, call a physician.

In case of skin contact, remove any contaminated clothing and wash skin thoroughly with soap and water.

#### INHALATION

If overcome by vapor, remove from exposure and call a physician immediately. If breathing is irregular or has stopped, start resuscitation, administer oxygen, if available.

#### INGESTION

If ingested, DO NOT induce vomiting; call a physician immediately.

## D. FIRE AND EXPLOSION HAZARD INFORMATION

945-0277(MWH001)

#### TURBO FUEL A

FLASH POINT (MINIMUM)

COMBUSTIBLE - Per DOT 49 CFR 173.115 37.8°C (100°F)

ASTM D 56, Tag Closed Cup

#### AUTOIGNITION TEMPERATURE

Approximately 210°C (410°F)

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) - HAZARD IDENTIFICATION

Health Flammability Reactivity BASIS

Recommended by the National Fire Protection Association

#### HANDLING PRECAUTIONS

Keep product away from heat, sparks, pilot lights, static electricity, and open flame.

FLAMMABLE OR EXPLOSIVE LIMITS (APPROXIMATE PERCENT BY VOLUME IN AIR)

Estimated values: Lower Flammable Limit 0.9%

Upper Flammable Limit 7%

#### EXTINGUISHING MEDIA AND FIRE FIGHTING PROCEDURES

Foam, water spray (fog), dry chamical, carbon dioxide and vaporizing liquid type extinguishing agents may all be suitable for extinguishing fires involving this type of product, depending on size or potential size of fire and circumstances related to the situation. Plan fire protection and response strategy through consultation with local fire protection authorities or appropriate SDECIALISTS.

The following procedures for this type of product are based on the recommendations in the National Fire Protection Association's "Fire Protection Guide on Hazardous Materials", Eighth Edition (1984):

Use water spray, dry chemical, foam or carbon dioxide. Use water to keep fire-exposed containers cool. If a leak or spill has not ignited, use water spray to disperse the vapors and to provide protection for men attempting to stop a leak. Water spray may be used to flush spills away from exposures. Minimize breathing gases, vapor, fumes or decomposition products. Use supplied-air breathing equipment for enclosed or confined spaces or as otherwise needed.

#### DECOMPOSITION PRODUCTS UNDER FIRE CONDITIONS

Fumes, smoke, carbon monoxide, aldehydes and other decomposition products, in the case of incomplete combustion.

### "EMPTY" CONTAINER WARNING

containers retain residue (liquid and/or vapor) and can be dangerous. PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. "Empty" drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All other containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. For work on tanks refer to Occupational Safety and Health Administration regulations, ANSI 249.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other contemplated operations.

### E. HEALTH AND HAZARD INFORMATION

#### VARIABILITY AMONG INDIVIDUALS

Health studies have shown that many petroleum hydrocarbons and synthetic lubricants pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

EFFECTS OF OVEREXPOSURE (Signs and symptoms of exposure) Overexposure may cause gasping, nausea and discrientation.

Inhalation of high vapor concentrations (attainable at elevated temperature) may have results ranging from mild depression to respiratory irritation, nausea, disorientation, and possibly death. Prolonged or repeated liquid contact with the skin will dry and defat the skin, leading to possible irritation and dermatitis.

#### NATURE OF HAZARD AND TOXICITY INFORMATION

Prolonged or repeated skin contact with this product tends to remove skin oils possibly leading to irritation and dermatitis; however, based on human experience and available toxicological data, this product is judged to be neither a "corrosive" nor an "irritant" by DSHA criteria.

Product contacting the eyes may cause eye irritation.

Lifetime skin painting studies conducted by the American Petroleum Institute, Exxon and others have shown that Similar products boiling between 175-370°C (350-700°F) usually produce skin tumors and/or skin cancer in laboratory mice. The degree of carcinogenic response was weak to moderate with a relatively long latent period. The implications of these results for humans have not been determined.

Limited studies on oils that are very active carcinogens have shown that washing the animals' skin with soap and water between applications greatly reduces tumor formation. These studies These studies demonstrate the effectiveness of cleansing the skin after contact.

Potential risks to humans can be minimized by observing good work practices and personal hygiene procedures generally recommended for petroleum products. See Section I for recommended protection and precautions.

Laboratory animal studies have shown that prolonged and repeated inhalation exposure to light hydrocarbon vapors in the same naphtha boiling range as this product can produce adverse kidney effects in male rats. However, these effects were not observed in similar studies with female rats and male and female mice and in limited studies with other animal species. Additionally, in a number of human studies, there was no clinical evidence of such effects at normal occupational levels. It is therefore highly unlikely that the kidney effects observed in male rats have significant implications for humans exposed at or below the recommended vapor limits in the workplace.

Product has a low order of acute oral and dermal toxicity, but minute amounts aspirated into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly

This product is judged to have an acute ona! LD50 (rat) greater than 5 g/kg of body weight, and an acute dermal LD50 (rabbit) greater than 3.16 g/kg of body weight.

PRE-EXISTING MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY EXPOSURE Petroleum Solvents/Petroleum Hydrocarbons - Skin contact may aggravate an existing dermatitis.

# F. PHYSICAL DATA

The following data are approximate or typical values and should not be used for precise design purposes.

Approximately 160-300°C (320-572°F)

SPECIFIC GRAVITY (15.6 C/15.6 C)

0.7753 to 0.8398 ASTM D 1298

MOLECULAR WEIGHT Approximately 180 average

pН

Essentially neutral

POUR, CONGEALING OR MELTING POINT -40°C (-40°F) Maximum Freeze Point

by ASTM D 2386

VISCOSITY

Maximum 8 cSt @ -20°C

VAPOR PRESSURE

Less than 5 mm Hg # 20°C

VAPOR DENSITY (AIR = 1)

Greater than 5

PERCENT VOLATILE BY VOLUME \*

EVAPORATION RATE @ 1 ATM. AND 25 C (77 F)

(n-BUTYL ACETATE = 1)

Less than 0.1

SOLUBILITY IN WATER # 1 ATM. AND 25 C (77 F)

Negligible; less than 0.1%

945-0277MWH0021

\_\_\_\_\_

### G. REACTIVITY

This product is stable and will not react violently with water. Hazardous polymerization will not occur. Avoid contact with strong exidents such as liquid chlorine, concentrated oxygen, sodium hypochlorite or calcium hypochlorite.

## H. ENVIRONMENTAL INFORMATION

#### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Shut off and eliminate all ignition sources. Keep people away. Recover free product. Add sand, earth or other suitable absorbent to spill area. Minimize breathing vapors. Minimize skin contact. Ventilate confined spaces. Open all windows and doors. Keep product out of sewers and watercourses by diking or impounding. Advise authorities if product has entered or may enter sewers, watercourses, or extensive land areas.

Assure conformity with applicable governmental regulations.

#### REPORTABLE QUANTITY (RQ), EPA REGULATION 40 CFR 302

The RQ for naphthalene is 5,000 pounds. This product contains approximately 3.0% naphthalene.

THRESHOLD PLANNING QUANTITY (TPQ), EPA REGULATION 40 CFR 358 Not applicable

TOXIC CHEMICAL RELEASE REPORTING, EPA REGULATION 40 CFR 372
This product contains approximately 3.0% maphinalene.

Arute Chronic Fire

Acute Chronic Fire Pressure Reactive

EPA HAZARD CLASSIFICATION CODE: Hazard Hazard Hazard Hazard Not Applicable

XXX XXX XXX

### 1. PROTECTION AND PRECAUTIONS

#### VENTILATION

Use only with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air. Use explosion-proof equipment. No smoking or open lights.

#### RESPIRATORY PROTECTION

Use supplied-air respiratory protection in confined or enclosed spaces, if needed.

#### PROTECTIVE GLOVES

Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact.

#### EYE PROTECTION

Use splash googles or face shield when eve contact may occur.

#### OTHER PROTECTIVE EQUIPMENT

Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing which could result in prolonged or repeated skin contact.

#### WORK PRACTICES / ENGINEERING CONTROLS

Keep containers and storage containers closed when not in use. Do not store near heat, sparks, flame or strong exidents.

#### PERSONAL HYGIENE

Minimize breathing vapor, mist or fumes. Avoid prolonged or repeated contact with skin. Remove contaminated clothing; launder or dry-clean before reuse. Remove contaminated shoes and thoroughly clean before reuse; discard if oil-scaked. Cleanse skin thoroughly after contact, before breaks and meals, and at end of work period. Product is readily removed from skin by waterlass hand cleaners followed by washing thoroughly with scap and water.

945-0277IMWH0021

### J. TRANSPORTATION INFORMATION

### TRANSPORTATION INCIDENT INFORMATION

For further information relative to spills resulting from transportation incidents, refer to latest Department of Transportation Emergency Response Guidebook for Hazardous Materials Incidents, DDT P 5800.3.

DOT IDENTIFICATION NUMBER UN 1863

The information and recommendations contained herein are, to the best of Exxon's knowledge and belief, accurate and reliable as of the date issued. Exxon does not warrant or guarantee their accuracy or reliability, and Exxon shall not be liable for any loss or damage arising out of the use thereof.

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.

The Environmental Information included under Section H hereof as well as the Hazardous Naterials Identification System (HMIS) and National Fire Protection Association (NFPA) ratings have been included by Exxon Company, U.S.A. in order to provide additional health and hazard classification information. The ratings recommended are based upon the criteria supplied by the developers of these rating systems, together with Exxon's interpretation of the available data.

FOR ADDITIONAL INFORMATION ON HEALTH EFFECTS CONTACT:

DIRECTOR OF INDUSTRIAL HYGIENE EXXON COMPANY, U.S.A. P. D. BOX 2180 ROOM 3157 HOUSTON, TX 77252-2180 (713) 656-2449 FOR OTHER PRODUCT INFORMATION CONTACT:

MANAGER, MARKETING TECHNICAL SERVICES EXXDN COMPANY, U.S.A. P. O. BOX 2180 ROOM 2355 HOUSTON, TX 77252-2180 (713) 656-5949

945-0277[MWH002]

MSDS NO. J.1 Kerosene/Jet A

#### VIII. EMERGENCY AND FIRST AID PROCEDURES

Skin - Wash with soap and water immediately after skin contact. Remove contaminated clothing and launder before reuse.

Eyes - Flush with large amounts of water for 15 minutes, getting under eyelids. Contact physician if irritation persists.

Inhalation - Remove to fresh air. Restore breathing if necessary. Administer oxygen if breathing difficulty persists and contact physician for treatment.

Ingestion - Do not induce vomiting. Aspiration of vapors or liquid into the lungs during vomiting can cause chemical pneumonia and may be fatal. Contact physician for immediate treatment.

#### IX. EMPLOYEE PROTECTION

#### RESPIRATORY PROTECTION

Not expected to be a respiratory hazard due to low vapor pressure of product. For exposures below 1000 ppm (1000 mg/m $^{\circ}$ ), organic vapor cartridge respirators may be used. Recommended for exposures to mists. Air supplied or self-contained breathing equipment should be used when cleaning up large spills or fighting fires.

#### PROTECTIVE CLOTHING

Use gaggles and/or face shield to protect eyes if splashing or mists are possible. Neoprene or nitrile rubber gloves and clothing should be used to prevent skin contact.

#### OTHER PROTECTIVE MEASURES

Use explosion proof ventilation for local and general purposes to keep vapors or mists to a low level. Good personal hygiene is required to protect skin from exposure. Wash frequently with soap and water.

#### X. ENVIRONMENTAL PROTECTION

#### SPILL CLEAN-UP PROCEDURE

Eliminate all ignition sources. Stop leak if it can be done safely. Contain spill to smallest area possible. Ventilate area if spill is indoors. Use absorbent materials to soak up small spills. Pick up large spills, once contained, for reuse or disposal. Do not let spilled material enter sewers, drains or waterways.

#### WASTE DISPOSAL

Contaminated absorbent materials may be disposed of in approved chemical waste landfills. Liquid waste should be disposed of by a licensed solvent disposal contractor if not reclaimed. Local, state and federal regulations must be followed.

### ENVIRONMENTAL HAZARDS

This product is classified as an "oil" under Section 311 of the Clean Water Act. Spills entering waterways which cause a sheen on the surface must be reported to the National Response Center (1-800-424-8802). RCRA (40 CFR 261.21) considers this product an "jgfitable hazardous waste" for disposal purposes and has assigned hazardous waste number 0001.

TOC 3925A 5/86

MSOS NO. 311

Kerosene/Jet A

## XI. SPECIAL PRECAUTIONS

Store in closed containers or tanks in well ventilated area. Keep away from excessive eat, sources of ignition or oxidizers. Heating increases vaporization and potential for ignition. Do not cut into, or weld on containers. No smoking allowed in area of use. Explosion proof electrical equipment required. Procedures for slow initial loading rate must be followed for switch loading to avoid static electric ignition hazard that can develop when this material is loaded into a tank previously containing gasoline, or similar low flash point product.

Do not use in portable kerosene heaters designed for K-1 fuel, or use in unvented heaters.

Product labeling information:

Petroleum Distilate

Warning - Combustible Liquid

Harmful if Swallowed Inhalation Hazard

Skin Hazard

Also include First Air information from Section VIII

#### **XII. TRANSPORTATION REQUIREMENTS**

DOT SHIPPING NAME

Kerosene

DOT LO. NO.

UN 1223 - Kerosene

Fuel, Aviation, Turbine Engine

UN 1863 - Jet A

DOT CLASSIFICATION

Combustible Liquid Placard

UN HAZARD CLASS

UN 1223

ombustible Liquid Placard Required UN 1863

XIII. OTHER REGULATORY CONTROLS

Listed on TSCA inventory of Chemical Substances.

THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. SUCH INFORMATION IS TO THE BEST OF THIS COMPANY'S KNOWLEDGE AND BELIEVED ACCURATE AND RELIABLE AS OF THE DATE INDICATED. HOWEVER, NO REPRESENTATION, WARRANTY OR GUARANTEE IS MADE AS TO ITS ACCURACY, RELIABILITY OR COMPLETENESS. IT IS THE USERS RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABLENESS AND COMPLETENESS OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

Tenneco Oil Company P.O. Box 2511 Houston, TX 77252 .....

July, 1987

Replaces August, 1985 revision

APPROVED BY

DATE PREPARED

E. Wayne Drusch

Tenneco Oil Processing & Marketi

713/757-3113 -

A TENNECO COMPANY

7

DC 3925A 5486

HER 04587

# SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME AND SYNONYMS: CP-4040

CAS NO. AND NAME:NA

CHEMICAL FAMILY: PARAFFIN SOLVENTS

CHEMICAL FORMULA: PROPRIETARY

MANUFACTURER'S NAME AND ADDRESS: CHEM JECT, INC.

1136 N. KIRKWOOD
HOUSTON, TEXAS77043

EMERGENCY TELEPHONE NO.: (713) 556-6616

## SECTION II - HAZARDOUS COMPONENTS

See Page 5 for Hazard	Rati	agai	and Index	
COMPONENT			ACGIĦ	OSHA
(CAS Registry No.)	WT.	<u>%</u>	TLV®	PEL
XYLENES (1300-71-6)	AP	25	45ppm	
MIXED PHENOLIC ACIDS	AP	2.0	NE	NE
(1319-77-3)				-1-

#### SECTION III - PHYSICAL PROPERTIES

APPEARANCE AND ODOR: CLEAR LIQUID WITH LIGHT SOLVENT ODOR

MOLECULAR WEIGHT: NA (BLEND)

BOILING POINT (DEGREES FAHRENHEIT): NE

MELTING POINT (DEGREES FAHRENHEIT): NA

VAPOR PRESSURE (mm OF MERCURY): NA

SPECIFIC GRAVITY (WATER = 1): 0.730

VAPOR DENSITY (AIR = 1): <1

PERCENT VOLATILE (BY WEIGHT): AP 75

PU: NA

SOLUBILITY IN WATER: Negligible

EVAPORATION RATE (BUTYL ACETATE =1): <1

## SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (DEGREES FAHRENHEIT; PMCC ): <20°F

FIRE EXTINGUISHING MEDIA: Foam, carbon dioxide, water spray, dry chemical.

FLAMMABLE LIMITS (PERCENT BY VOLUME):

LOWER UPPER

<1.4

SPECIAL FIRE FIGHTING PROCEDURES & EQUIPMENT: Stop source of fuel. Keep exposed equipment cool with water spray.

UNUSUAL FIRE & EXPLOSION HAZARDS: Product is extremely flammable. Keep away from any heat.

MAZARDOUS COMBUSTION PRODUCTS: Toxic vapors form xylene as well as phenolic gases may be emitted during fire.

#### SECTION V - REACTIVITY DATA

STABILITY: UNSTABLE STABLE X

CONDITIONS TO AVOID: High temperatures .

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Phenolic gases may be possible.

HAZARDOUS POLYLMERIZATION: WILL OCCUR WILL NOT OCCUR X

IDITIONS TO AVOID: NE

Page 2 of 6

# SECTION VI - HEALTH HAZARD INFORMATION

EXPOSURE FROM ROUTINE USE: Eye and skin contact may result in burns if product is not washed off immediately.

EFFECTS OF OVEREXPOSURE: Skin and eye irritant with possible severe burn to eyes. Prolonged breathing may cause dizziness, nausea, and possible CNS interruption.
PROBABLE ROUTES OF EXPOSURE: Skin, eyes, and inhalation.

# EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: Flush with large amounts of water for at least 15 minute Seek medical attention immediately.

SKIN CONTACT: Wash off thoroughly. If irritation persist immediately seek medical advice.

INHALATION: Immediately remove fresh air. Administer artificial respiration il necessary. Never give an unconscious victim something to drink. Seek medical attention immediately.

INGESTION: DO NOT INDUCE VOMITING. Seek medical attention immediately.

# SECTION VII - TOXICITY DATA

ORAL: LD<sub>50</sub> in rats: &39.9 gms/kg

DERMAL: rabbits 1.0 gms/kg

INHALATION: No data available.

CARCINOGENICITY: No component listed as carcinogen- IARC(NTP(OSHA

OTHER PERTINENT DATA: Product is FLAMMABLE. Caution should be taken care when handling this product. Product may result in skin burns if prolonged exposure is noted.

Page 3 of 6

# SECTION VIII - SPECIAL PROTECTION INFORMATION

# PERSONAL PROTECTIVE EQUIPMENT

PROTECTIVE GLOVES: Rubber or neoprene gloves.

EYE PROTECTION: Safety goggles and/or face shield.

RESPIRATORY PROTECTION (SPECIFY TYPE): Organic vapor canister approve other Profective Equipment: Use impervious clothing as necessary to a prolonged or repeated contact with the product.

# VENTILATION:

LOCAL EXHAUST: See below.

MECHANICAL (GENERAL): Use mechanical ventilation when proper ventilat: special: Only if proper ventilation is not available.

# SECTION IX - SPILL, LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Eliminate all ignition sources. Contain the spill immediately. Report all spills of the product to local, state, and federal authorities so immediate action is taken to prevent the product to reach aquatic life.

WASTE DISPOSAL METHODS: All methods used in the disposal of this product should be in accordance with all local, state, and federal regulations. Disposals are done according to those regulations.

CLEAN WATER ACT REQUIREMENTS: Data on this material has not yet been determined.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) REQUIREMENTS: Not yet determined.

Page 4 of 6

HER 04591

# HAZARD RATINGS

	2	
NFPA HAZARD RATINGS 4-Extreme 3-High 2-Moderate 1-Slight 0-Insignifican		Product ID  Fire  Health Reactivity
	•	Special
HMIS HAZARD INDEX Hazardous Materials Idenntification System	4-Severe 3-Serious 2-Moderate 1-Slight 0-Minimal	HMIS Ratings Health
Safety Glasses, Glo Safety Glasses, Glo Pace Shield, Gloves Safety Glasses, Glo Safety Glasses, Glo Safety Glasses, Glo Splash Goggles, Glo Splash Goggles, Glo Splash Goggles, Glo Splash Goggles, Glo Splash Goggles, Glo Splash Goggles, Glo Situations Requiring	ves	Apron
USDA: NA FDA: NA CPSC: NA		
TSCA: XYLENE-1300-7 AND REPORTED	1-6, PHENOLS-1	319-77-3, ALL OTHER COMPONENTS ARE LISTE
PROPER SHIPPING MAZARD CLASS: F LABEL REQUIRED	PLAMMABLE	FLAMMABLE LIQUID, NOS FLAMMABLE LIQUID, UN-1993
PADET KEARINER	<u>. 169</u>	

Page 5 of 6

## IDENTIFICATION NO .:

# OTHER PERTINENT INFORMATION:

EPA: Superfund Amendments & Reauthorization Act (SARA) Title III; Section 313, Supplier Notification.

Chemical

CAS #

Weight Percent

# SECTION XI - SPECIAL PRECAUTIONS AND COMMENTS

# PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

# OTHER PRECAUTIONS:

# REGISTRATIONS/CERTIFICATIONS:

# EFFECTIVE DATE:

Supercedes any previous MSDS.

IMPORTANT: The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in complianc with applicable Federal, state, and local laws and regulations. CHEM JECT, MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE ACCURAC OR OCMPLETENESS OF THE INFORMATION AND DATA HEREIN. THE IMPLIED WARRANT! OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. CHEM JECT, INC. will not be liable for claims relating to any use of this product.

Page 6 of 6

# SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME AND SYNONYMS: CWC-1110

CAS NO. AND NAME: ND

CHEMICAL FAMILY: Polymerized metal salt

CHEMICAL FORMULA: Proprietary

MANUFACTURER'S NAME AND ADDRESS: Chemject International

1136 N. Kirkwood

Houston, Texas 77043

EMERGENCY TELEPHONE NO.: (713) 556-6616

SECTION II - HAZARDOUS COMPONENTS

COMPONENT

(CAS Registry No.) None <u>WT. %</u>

AGGIH TLV OSHA

<u>PEL</u>

SECTION III - PHYSICAL PROPERTIES

APPEARANCE AND ODOR: Clear bland water white liquid.

MOLECULAR WEIGHT: N/A

BOILING POINT (DEGREES FAHRENHEIT): ND

MELTING POINT (DEGREES FAHRENHEIT): N/A

VAPOR PRESSURE (mm of MERCURY): ND

SPECIFIC GRAVITY (WATER = 1): 1.135-1.140

VAPOR DENSITY (AIR = 1):

PERCENT VOLATILE (BY WEIGHT):

pH: Ap 3.8-4.0

SOLUBILITY IN WATER: Soluble

EVAPORATION RATE (BUTYL ACETATE = 1): >1

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (DEGREES FAHRENHEIT; PMCC): >220°F

Page 1 of 5

FIRE EXTINGUISHING MEDIA: Dry chemical, CO2 or chemical foam.

FLAMMABLE LIMITS (PERCENT BY VOLUME): N/A

LOWER

<u>UPPER</u>

SPECIAL FIRE FIGHTING PROCEDURES & BOULPMENT: Use water to keep exposed container cool.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

HAZARDOUS COMBUSTION PRODUCTS: CO and CO2.

### SECTION V - REACTIVITY DATA

STABILITY:

UNSTABLE:

STABLE: X

CONDITIONS TO AVOID: N/A

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers and alkali material.

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

HAZARDOUS POLYMERIZATION:

WILL OCCUR: WILL NOT OCCUR: X

CONDITIONS TO AVOID: N/A

#### SECTION VI - HEALTH HAZARD INFORMATION

EXPOSURE FROM ROUTINE USE: None noted.

EFFECTS OF OVEREXPOSURE: Eye irritation and drying effect to skin.

PROBABLE ROUTES OF EXPOSURE: Eyes and skin.

### EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: Immediately flush with large quantities of water for at least 15 minutes. Get medical attention if irritation persists.

SKIN CONTACT: Wash off skin. If rash develops seek medical attention.

INHALATION: None needed

INGESTION: Allow affected individual to drink milk. Seek medical attention immediately.

Page 2 of 5

## SECTION VII - TOXICITY DATA

ORAL: ND

DERMAL: ND

INHALATION: N/A

CARCINOGENICITY: Not listed on NTP, OSHA, or IARC.

OTHER PERTINENT DATA: N/A

# SECTION VIII - SPECIAL PROTECTION INFORMATION

#### PERSONAL PROTECTIVE EQUIPMENT

PROTECTIVE GLOVES: Rubber or neoprene

EYE PROTECTION: Safety glasses or goggles

RESPIRATORY PROTECTION (SPECIFY TYPE): None needed.

OTHER PROTECTIVE EQUIPMENT: Apron

### **VENTILATION:**

LOCAL EXHAUST: Sufficient

MECHANICAL (GENERAL): N/A

SPECIAL: N/A

### SECTION 1X - SPILL, LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Dike spill. Absorb material with sand and/or appropriate absorbing material. Flush remaining residue according to federal, state, and local regulations.

<u>WASTE DISPOSAL METHODS:</u> Dispose of in accordance with all federal, state and local regulations.

CLEAN WATER ACT REQUIREMENTS: ND

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) REQUIREMENTS: ND

Page 3 of 5

# HAZARD RATINGS

	munico m			
NFPA HAZARD RATINGS  4 - Extreme 3 - High 2 - Moderate 1 - Slight 0 - Insignifi		<b>Health</b>	PRODUCT Fire 0 1 0 Special	ID Reactivity
HMIS HAZARD INDEX			HMIS RAT	INGS
Hazardous Materials Identification System	4 - Severe 3 - Serious 2 - Moderate 1 - Slight 0 - Minimal	Flammabi Reactivi	lity ty	
Letter Designations Safety Glasses Safety Glasses, Glo Safety Glasses, Glo Face Shield, Gloves Safety Glasses, Glo Safety Glasses, Glo Safety Glasses, Glo Safety Glasses, Glo Splash Goggles, Glo	oves	ron	oust and V	B
<u>\$1</u>	ECTION X - REGULAT	ORY INFORMAT	<u>ION</u>	
USDA: N/A			•	•
FDA: N/A				
CPSC: N/A	•			
	listed and reporte ances Control Act,		provisions	outlined in
DOT: Non-regulate	đ			
PROPER SHIPPI	Non-regu	lated, N.O.S lated Liquid		
HAZARD CLASS:	Non~regulated			
LABEL REQUIRE	<u>D:</u> No			

Page 4 of 5

IDENTIFICATION NO.: N/A

OTHER PERTINENT INFORMATION: N/A

EPA: Superfund Amendments & Re-authorization Act (SARA) Title III; Section 313, Supplier Notification.

Not listed on 40 CFR 372.45 Supplier Notification Requirement listing (7-1-89) Edition.

Chemical

CAS\_#

Weight Percent

#### SECTION XI - SPECIAL PRECAUTIONS AND COMMENTS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep product in proper shipping container. Product may be corrosive to copper.

OTHER PRECAUTIONS: Keep away from children.

REGISTRATIONS/CERTIFICATIONS: N/A

EFFECTIVE DATE: March 7, 1991

Supercedes any previous MSDS.

IMPORTANT: The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable Federal, State and local laws and regulations. CHEMJECT INTERNATIONAL MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION AND DATA HEREIN. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. Chemject International will not be liable for claims relating to any use of this product.

Page 5' of 5

# MO Project Services, Inc.

# Cargo Manifest

Date Loaded: 8-30-94	Transportation: M/V NEDTUNE Loaded by: 3:11 MSVAY
From: GALV. 296 B TO: HERCULES DOCK FREEPORT. TX.	Received Manifest:

QUANTITY	PERSONNELMATERIAL DESCRIPTION	CONDITION OF CARGO	Material Owner or Supplier
	PILT CICL TOUR		Name Location Phone
M 2	SSOGAL, TOTE TANKS	600 D 600 D	PHI BCA. 469-849-24 CHEMTET 713-556-66
n Z	350 gAL. TOTE TANKS	600 D	CHEMTET " "
M. Kar	146 THE TELE TARK	2007	- CHEM -
3	ENGINE HEADS	600 D	TUORY 409 23385
	AIR STARTER	Goo D	IUORY 409 23385
· · · · · · · · · · · · · · · · · · ·			

HER 04599

# HERCULES OFFSHORE CO. INVOICE NO. \_ MARINE OPERATIONS FACILITY MARINE REPAIR CUSTOMER P.O. ORDER No. 4349 CU PRODUCTION D S A T O M E R YES □ NO IF YES, COMPLETE STOCK MATERIAL TRANSFER TICKET OUTSIDE SERVICES IF YES, LIST YES **□**NO YES [] GAS FREEING NO CERTIFICATE REQUIRED HAUL OUT FOR INSPECTION AND REPAIR Y ES 🗍 NO 🗆 ON WAYS DATE: DATE: ON WAYS ITEM NUMBERS supplies and 2 3 6 7 8

10

Signed: .

THIS SHALL SERVE AS YOUR AUTHORIZATION TO PROCEED WITH THE ABOVE.

. Date: \_